




POULIE POUR COURROIE POLYCHAIN® GT-8M



POLY.P..8M..				POLY-P x (Nb de dents) x 8 M - 12										POLY-P x (Nb de dents) x 8M - 21									
				Largeur courroie : 12mm ▶ F = 20										Largeur courroie : 21mm ▶ F = 30									
Nb de dents	Dp	De	Df	Forme	A	B	E	K	L	M	Matière	N° moyeu	Forme	A	B	E	K	L	M	Matière	N° moyeu		
22	56,02	54,42	62	1F	-	43	10	-	30	-	A	plein	1F	-	43	12	-	42,0	-	A	plein		
25	63,66	62,06	70	2F	-	49	2	-	22	-	A	1108	3F	-	-	-	8	22,0	-	A	1108		
28	71,3	69,7	79	2F	-	59	5	-	25	-	A	1108	3F	-	-	-	5	25,0	-	A	1210		
30	76,39	74,79	86	2F	-	66	5	-	25	-	A	1210	3F	-	-	-	5	25,0	-	A	1210		
32	81,49	79,89	90	2F	-	66	5	-	25	-	A	1610	3F	-	-	-	5	25,0	-	A	1210		
34	86,58	84,98	95	2F	-	70	5	-	25	-	A	1610	3F	-	-	-	5	25,0	-	A	1610		
36	91,67	90,07	98	2F	-	78	5	-	25	-	A	1610	3F	-	-	-	5	25,0	-	A	1610		
38	96,77	95,17	106	2F	-	80	5	-	25	-	A	1610	3F	-	-	-	5	25,0	-	F	1610		
40	101,86	100,26	111	2F	-	85	5	-	25	-	F	1610	3F	-	-	-	5	25,0	-	F	1610		
45	114,59	112,99	119	2F	-	92	12	-	32	-	A	2012	2F	-	104	2	-	32,0	-	A	2012		
48	122,23	120,63	135	2F	-	104	12	-	32	-	A	2012	2F	-	104	2	-	32,0	-	A	2012		
50	127,32	125,72	135	2F	-	104	12	-	32	-	A	2012	2F	-	111	2	-	32,0	-	A	2012		
56	142,6	141	151	2F	-	104	12	-	32	-	F	2012	2F	-	111	2	-	32,0	-	F	2012		
60	152,79	151,19	159	2F	-	111	12	-	32	-	F	2012	2F	-	124	15	-	45,0	-	F	2517		
64	162,97	161,37	168	2F	-	111	12	-	32	-	F	2012	2F	-	124	15	-	45,0	-	F	2517		
75	190,99	189,39	-	2	-	111	12	-	32	-	F	2012	2	-	124	15	-	45,0	-	F	2517		
80	203,72	202,12	-	2	-	111	12	-	32	-	F	2012	2	-	124	15	-	45,0	-	F	2517		
90	229,18	227,58	-	2	-	111	12	-	32	-	F	2012	9	198	124	-	7,5	45,0	7,5	F	2517		
112	285,21	283,61	-										9	253	124	-	7,5	45,0	7,5	F	2517		
140	356,51	354,91	-										10	324	150	-	10,5	51,0	10,5	F	3020		
POLY.P				POLY-P x (Nb DE DENTS) x 8 M - 36										POLY-P x (Nb DE DENTS) x 8M - 62									
				largeur courroie : 36mm ▶ F = 45										largeur courroie : 62mm ▶ F = 72									
Nb de dents	Dp	De	Df	Forme	A	B	E	K	L	M	Matière	N° moyeu	Forme	A	B	E	K	L	M	Matière	N° moyeu		
25	63,66	62,06	70	1F	-	49	10	-	55	-	A	plein	1F										
28	71,3	69,7	79	3F	-	-	-	20	25	-	A	1210	1F										
30	76,39	74,79	86	3F	-	-	-	20	25	-	A	1610	1F	-	65	12	-	84,0	-	A	plein		
32	81,49	79,89	90	3F	-	-	-	20	25	-	A	1610	1F	-	69	12	-	84,0	-	A	plein		
34	86,58	84,98	95	3F	-	-	-	20	25	-	A	1610	1F	-	74	12	-	84,0	-	A	plein		
36	91,67	90,07	98	3F	-	-	-	20	25	-	F	1610	1F	-	77	12	-	84,0	-	A	plein		
38	96,77	95,17	106	3F	-	-	-	20	25	-	A	1610	1F	-	84	12	-	84,0	-	A	plein		
40	101,86	100,26	111	3F	-	-	-	13	32	-	A	2012	3F	-	-	-	40	32,0	-	A	2012		
45	114,59	112,99	119	3F	-	-	-	13	32	-	F	2012	3F	-	-	-	40	32,0	-	A	2012		
48	122,23	120,63	135	3F	-	-	-	13	32	-	F	2012	3F	-	-	-	27	45,0	-	A	2517		
50	127,32	125,72	135	3F	-	-	-	13	32	-	F	2012	3F	-	-	-	27	45,0	-	A	2517		
56	142,6	141	151	3F	-	-	-	0	45	-	F	2517	6F	-	-	-	13,5	45,0	13,5	F	2517		
60	152,79	151,19	159	3F	-	-	-	0	45	-	F	2517	6F	-	-	-	13,5	45,0	13,5	F	2517		
64	162,97	161,37	168	3F	-	-	-	0	45	-	F	2517	6F	-	-	-	13,5	45,0	13,5	F	2517		
75	190,99	189,39	-	2	-	150	6	-	51	-	F	3020	6	-	-	-	10,5	51,0	10,5	F	3020		
80	203,72	202,12	-	2	197	150	6	-	51	3	F	3020	6	-	-	-	10,5	51,0	10,5	F	3020		
90	229,18	227,58	-	9	253	150	-	3	51	3	F	3020	6	197	-	-	10,5	51,0	10,5	F	3020		
112	285,21	283,61	-	9	324	150	-	3	51	3	F	3020	7	253	150	-	10,5	51,0	10,5	F	3020		
140	356,51	354,91	-	10	396	150	-	3	51	10	F	3020	7	324	198	-	3,5	65,0	3,5	F	3525		
168	427,81	426,21	-	10	457	198	-	10	65	10	F	3525	8	396	198	-	3,5	65,0	3,5	F	3525		
192	488,92	487,32	-	10	457	198	-	10	65			3525	8	457	198	-	3,5	65,0	3,5	F	3525		