

POULIES À "MOYEU CONIQUE AMOVIBLE" POUR COURROIES DENTÉES CLASSIQUES

Pas 9,5 mm	L	Largeur courroie Largeur poulie Diamètres		L050 19								L075 25								L100 32							
				N° Moyeu	Alés. Max	TYPE	Dm	Di	L	A B	N° Moyeu	Alés. Max	TYPE	Dm	Di	L	A B	N° Moyeu	Alés. Max	TYPE	Dm	Di	L	A B			
18	54,59	53,81	60	1108	28	af	45		22	3	1108	28	af		25	0	1108	28	bf	38	22	9					
19	57,61	56,84	64	"	"	"		"	"	"	"	"	"	"	"	"	"	"	"	"	"	"					
20	60,63	59,88	66,50	"	"	"	48		"	"	"	"	"	"	"	"	"	"	"	"	"	"					
21	63,68	62,91	73	"	"	"		"	"	"	"	"	"	"	"	"	"	"	"	"	"	"					
22	66,7	65,94	75	"	"	"	51		"	"	"	"	"	"	"	"	"	"	"	48	"	"					
23	69,73	68,97	79	"	"	"	54		"	"	"	"	"	"	"	"	"	"	"	52	"	10					
24	72,77	72	79	"	"	"	54		"	"	"	"	"	"	"	"	"	"	"	"	"	"					
25	75,8	75,04	86	"	"	"	56		"	"	"	"	"	"	"	"	"	"	"	54	"	"					
26	78,84	78,07	86	"	"	"	60		"	"	"	"	"	"	"	"	"	"	"	60	"	"					
27	81,86	81,1	91	"	"	"	62		"	"	"	"	"	"	"	"	"	"	"	"	"	"					
28	84,89	84,13	91	"	"	"	65		"	"	"	"	"	"	"	"	"	"	"	"	"	"					
30	90,96	90,2	97	"	"	"	70		"	"	"	"	"	"	"	"	1210	32	"	71	25	7					
32	97,03	96,26	102	"	"	"	74		"	"	"	"	"	"	"	"	"	"	"	75	"	"					
36	109,14	108,39	120	"	"	"	85		"	"	1610	42	"	"	"	"	1610	42	"	86	"	"					
40	121,29	120,51	128	1610	42	"	97		25	6	"	"	"	"	"	"	"	"	"	96	"	"					
48	145,54	144,77	150	"	"	sf	88	120	"	6	"	"	nf	90	120	"	"	"	nf	92	120	"					
60	181,92	181,15		"	"	s	92	166	"	3	"	"	n	92	106	"	"	"	n	"	166	3,5					
72	218,29	217,53		"	"	r	92	202	"	3	"	"	r	"	202	"	2012	50	r	106	202	32					
84	254,69	253,92		"	"	r	92	236	"	3	2012	50	"	106	236	32	3,5	"	"	r	"	236					
96	291,06	290,3		2012	50	"	106	270	32	6,5	"	"	"	"	270	"	"	"	"	"	270	0					
120	363,83	363,07		"	"	"	"	343	"	6,5	"	"	"	"	343	"	"	"	"	"	343	0					

Autres types : Voir page 115

Pas 12,7m	H	Largeur courroie Largeur poulie Diamètres		H100 32								H150 45								H200 58							
				N° Moyeu	Alés. Max	TYPE	Dm	Di	L	A B	N° Moyeu	Alés. Max	TYPE	Dm	Di	L	A B	N° Moyeu	Alés. Max	TYPE	Dm	Di	L	A B			
18	72,77	71,39	79	1210	32	bf	52	25	6	1210	32	bf	52	25	20												
19	76,81	75,44	82,50	"	"	"	56	"	"	"	"	"	56	"	"												
20	80,85	79,48	86	"	"	"	60	"	"	"	"	"	60	"	"												
21	84,89	83,52	91	"	"	"	64	"	7	"	"	"	64	"	"	1610	42	bf	64	25	33						
22	88,94	87,56	94	"	"	"	67	"	"	"	"	"	67	"	"	"	"	"	67	"	"	"					
23	92,98	91,61	102	"	"	"	70	"	"	"	1610	42	"	70	"	"	"	"	70	"	"	"					
24	97,03	95,65	102	1610	42	"	73	"	"	"	"	"	74	"	"	"	"	"	74	"	"	"					
25	101,06	99,69	112	"	"	"	77	"	"	"	"	"	77	"	"	"	"	"	77	"	"	"					
26	105,11	103,73	112	"	"	"	82	"	"	"	"	"	82	"	"	"	"	"	82	"	"	"					
27	109,15	107,78	120	"	"	"	85	"	"	"	"	"	85	"	"	"	"	"	85	"	"	"					
28	113,18	111,82	120	"	"	"	90	"	"	"	"	"	90	"	"	"	"	"	90	"	"	"					
30	121,29	119,9	128	"	"	"	98	"	"	"	"	"	98	"	"	"	"	"	98	"	"	"					
32	129,3	127,99	135	"	"	nf	80	106	"	"	"	"	80	106	"	2012	50	"	106	32	26						
36	145,54	144,16	158	"	"	"	92	121	"	"	"	"	92	121	"	"	"	nf	102	121	"	"					
40	161,7	160,33	168	"	"	"	"	138	"	"	"	"	"	138	"	"	"	"	100	140	"	"					
48	194,03	192,67	200	2012	50	"	106	169	32	0	2012	50	"	106	169	32	13	2517	60	119	168	45					
60	242,55	241,18		"	"	m	"	223	"	1	"	"	m	"	223	"	7,5	"	m	"	223	7,5					
72	291,06	289,69		"	"	"	"	270	"	"	"	"	"	270	"	"	"	"	"	"	270	"					
84	339,57	338,2		"	"	"	"	318	"	"	"	"	"	318	"	"	"	"	"	"	318	"					
96	388,09	386,71		2517	60	r	119	366	45	5,5	2517	60	"	119	366	45	0,5	"	"	"	366	"					
120	485,12	483,73		"	"	"	"	462	"	"	"	"	"	462	"	"	"	"	"	"	462	"					


Pas 12,7m	H	Largeur courroie Largeur poulie Diamètres		H300 84																		
				N° Moyeu	Alés. Max	TYPE	Dm	Di	L	A B												
18	72,77	71,39	79																			
19	76,81	75,44	82,5																			
20	80,85	79,48	86																			
21	84,89	83,52	91	1615	42	ef	65	38	23													
22	88,94	87,56	94	"	"	"	67	"	"													
23	92,98	91,61	102	"	"	"	70	"	"													
24	97,03	95,65	102	"	"	"	73	"	"													
25	101,06	99,69	112	"	"	"	77	"	"													
26	105,11	103,73	112	"	"	"	82	"	"													
27	109,15	107,78	120	2012	50	"	85	32	26													
28	113,18	111,82	120	"	"	"	90	"	"													
30	121,29	119,9	128	"	"	"	98	"	"													
32	129,3	127,99	135	2517	60	"	106	45	19,5													
36	145,54	144,16	158	"	"	"	121	"	"													
40	161,7	160,33	168	"	"	"	138	"	"													
48	194,03	192,67	200	"	"	nf	119	165	20,5													
60	242,55	241,18		"	"	m	"	223	"													
72	291,06	289,69		"	"	"	"	270	"													
84	339,57	338,2		"	"	"	"	320	"													
96	388,09	386,71		3030	75	"	150	362	76	5												
120	485,12	483,73		"	"	"	"	460	"													

AUTRES SECTIONS : Nous consulter

Désignation Ex.: P 30 L 075 MA

en Stock

P Dents Type courroie Larg. MA Toutes les dimensions



MOYEU AMOVIBLES : Voir page 579